

Hallmark® Certificate of Conformance and License (CCL)



VELUX AMERICA INC.

Mfr#: 426

PO BOX 5001

GREENWOOD, SC 29648-5001

TEL: (864) 941-4828

| Product No. | Product Name | Standard | Rating | Wide | High | Test Report # | CertDate | ExpDate |
|--------------|--------------------------------|-------------------|---|--------|--------|-----------------|------------|------------|
| 426-H-683.00 | VCM/VCE 4646 2010B and smaller | 101/I.S.2/A440-08 | Class CW-PG40; Size Tested 1302x1302mm (51x51in)-SKG; Design Pressure (DP) = 16760pa (350psf); Canadian Air Infiltration/Exfiltration Level = A2; Water Penetration Resistance Test Pressure = 720pa (15.04psf) | 1302mm | 1302mm | 93424.03-109-44 | 01/19/2010 | 10/13/2013 |
| 426-H-683.01 | VCM/VCE 2246 2010B and smaller | 101/I.S.2/A440-08 | Class CW-PG75; Size Tested 691x1302mm (27x51in)-SKG; Design Pressure (DP) = 26400pa (551.38psf); Canadian Air Infiltration/Exfiltration Level = A2; Water Penetration Resistance Test Pressure = 720pa (15.04psf) | 691mm | 1302mm | 93424.03-109-44 | 01/19/2010 | 10/13/2013 |
| 426-H-683.02 | VCM/VCE 4646 2010B and smaller | 101/I.S.2/A440-05 | SKG-C40; Design Pressure (DP) = 16760pa (350psf); Canadian Air Infiltration/Exfiltration Level = A2; Water Penetration Resistance Test Pressure = 720pa (15.04psf) | 1302mm | 1302mm | 93424.04-109-44 | 01/19/2010 | 10/13/2013 |
| 426-H-683.03 | VCM/VCE 2246 2010B and smaller | 101/I.S.2/A440-05 | SKG-C75; Design Pressure (DP) = 26400pa (551.38psf); Canadian Air Infiltration/Exfiltration Level = A2; Water Penetration Resistance Test Pressure = 720pa (15.04psf) | 691mm | 1302mm | 93424.04-109-44 | 01/19/2010 | 10/13/2013 |
| 426-H-683.04 | VCM/VCE 4646 2010B and smaller | 101/I.S.2/NAFS-02 | SKG-C150 55 | 1302mm | 1302mm | 93424.05-109-44 | 01/19/2010 | 10/13/2013 |
| 426-H-683.05 | VCM/VCE 2246 2010B and smaller | 101/I.S.2/NAFS-02 | SKG-C150 100 | 691mm | 1302mm | 93424.05-109-44 | 01/19/2010 | 10/13/2013 |

WDMA HEREBY CERTIFIES that the aforesaid Company (“Licensee”), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the standards. It is further certified that the plant(s), facilities, quality control procedures, methods and processes of Licensee have been inspected by WDMA, and are subject to regular follow-up inspection and test. It is further certified that samples of the products set forth above were tested and found to comply with the standards.

By: John McFee John McFee, Certification Mgr, WDMA Hallmark

Program Sponsor:
Window and Door Manufacturers Assoc
401 N. Michigan Ave.
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Services, Inc.
PO Box 730, 100 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com