



# Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.  
Administrative Management  
Systems, Inc.

VELUX America LLC  
PO Box 5001  
Greenwood, SC 29648-5001

Mfr ID: 426  
For more information visit [www.amscert.com](http://www.amscert.com)  
Website: <http://www.veluxusa.com/>  
TEL: (864) 941-4828

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
426-H-710.03	Dynamic Impact Modified Acrylic Domes, 6' by 6', 0.150" Smooth 100% IMA over 0.118" Smooth 50% IMA	101/I.S.2/A440-11	SKP-PG30; Size Tested 1975mm x 1975mm (78" x 78"); Negative Design Pressure (DP) = -2390 Pa (-50 psf)	1975mm	1975mm	G1317.01-109-44	9/8/2016	8/17/2026
426-H-710.04	Dynamic Impact Modified Acrylic Domes, 6' by 6', 0.150" Smooth 100% IMA over 0.118" Smooth 50% IMA	101/I.S.2/A440-08	Class CW-PG30; Size Tested 1975mm x 1975mm (78" x 78")-SKP; Negative Design Pressure (DP) = -1910 Pa (-40 psf)	1975mm	1975mm	G1317.01-109-44	9/8/2016	8/17/2026
426-H-710.05	Dynamic Impact Modified Acrylic Domes, 6' by 6', 0.150" Smooth 100% IMA over 0.118" Smooth 50% IMA	CSA A440 S1-09	DP = +1440 Pa / -1910 Pa; Water Test Press 720 Pa; Can. Air Infil/Exfil. Level=Fixed	1975mm	1975mm	G1317.01-109-44	9/8/2016	8/17/2026

WDMA HEREBY CERTIFIES that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected by WDMA, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By: *John McFee* John McFee, VP of Certification Programs, WDMA Hallmark

By: *Rhonda Schotz* Rhonda Schotz, Authorized Representative, AMS

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)