

VELUX®

www.veluxusa.com
www.velux.ca
1-800-88-VELUX

- REMOVE ONLY AFTER FINAL INSPECTION
- RETAIN FOR YOUR RECORDS

Florida Prod. Approval
6393

TDI Product Evaluation
SK-45

TDI Product Evaluation
SK-46



22" TCC and TGC
VELUX® SUN TUNNEL™
Licensee: 426-H-708

Manufacturer Stipulates Conformance as indicated below

CONFORMS TO

RATING

AAMA/WDMA/CSA 101/I.S.2/A440-11

TDDCC / TDDOC-PG130
Size Tested: 559 mm
Positive (Download) DP = 14,364 Pa (300 psf)

AAMA/WDMA/CSA 101/I.S.2/A440-08

CW-PG100 – 559 MM – TDD
Positive (Download) DP = 9,576 Pa (200 psf)

CSA A440S1-09

DP: +9576 / -4788 Pa (+200 / -100 psf)
Water Test Pressure = 720 Pa (15 psf)
Canadian Air Infiltration/Exfiltration = A2

The below only applies to product codes ending with
500*TH or THE0, 500*TO or TOE0, 500*TT or TTE0 (* denotes diffuser 0, 2 or 3)

ASTM E-1996-05 /
ASTM E-1886-05

Cycle Pressure +50/-50
Wind Zone 3 Missile Level C