

Hallmark® Certificate of Conformance and License (CCL)




VELUX America LLC
PO Box 5001
Greenwood, SC 29648-5001

Mfr ID: 426
For more Information visit www.amscert.com
Website: www.veluxusa.com
TEL: 864-941-4828

| <i>Product No.</i> | <i>Product Name</i> | <i>Standard</i> | <i>Rating</i> | <i>Wide</i> | <i>High</i> | <i>Test Report #</i> | <i>CertDate</i> | <i>ExpDate</i> |
|--------------------|---|-------------------|---|-------------|-------------|----------------------|-----------------|----------------|
| 426-H-626.07 | VELUX Sun Tunnel (Residential) TSR 010 0000 | 101/I.S.2/A440-11 | TDDCC-PG180; Size Tested 318 mm dia. (13"); Positive Design Pressure (DP) = 9,576 Pa (+200 psf) | 318 mm dia | 318 mm dia | G8961.01-109-44 | 3/30/2017 | 4/3/2027 |
| 426-H-626.08 | VELUX Sun Tunnel (Residential) TSR 010 0000 | 101/I.S.2/A440-08 | SP-PG135; Sized Tested 318 mm dia.(13")-TDD; DP = 9,576 Pa (+200 psf) | 318 mm dia | 318 mm dia | G8961.01-109-44 | 3/30/2017 | 4/3/2027 |
| 426-H-626.09 | VELUX Sun Tunnel (Residential) TSR 010 0000 | CSA A440 S1-09 | DP: +9576/-6464 Pa (+200/-135 psf); Water Penetration Resistance Test Press = 720 Pa (15.04 psf); Can. Air Infil/Exfil. Level=Fixed | 318 mm dia | 318 mm dia | G8961.01-109-44 | 3/30/2017 | 4/3/2027 |

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  **John McFee, VP of Certification Programs, WDMA Hallmark**

By:  **Rhonda Schotz, Authorized Representative, AMS**

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com