

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
1	<b>CD1 2448 3P1_3P2</b>	<b>19.6</b>	<b>100%</b>	<b>44.7%</b>	<b>3.0%</b>	<b>8.7</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Dome	6.8	35%	5.2%	0.0%	1.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.7	49%	36.2%	3.0%	7.1	0.6	Belton, SC
	Spring Clip	0.1	1%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	13%	3.2%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.5	3%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
2	<b>CD1 2496 3P1_3P2</b>	<b>33.9</b>	<b>100%</b>	<b>42.1%</b>	<b>2.7%</b>	<b>14.3</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Dome	13.7	40%	6.1%	0.0%	2.1	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	45%	33.1%	2.7%	11.2	0.9	Belton, SC
	Spring Clip	0.2	1%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	12%	3.0%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.7	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
3	<b>CD1 2412 3P1_3P2</b>	<b>40.6</b>	<b>100%</b>	<b>41.7%</b>	<b>2.7%</b>	<b>17.0</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Dome	16.7	41%	6.2%	0.0%	2.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	44%	32.6%	2.7%	13.2	1.1	Belton, SC
	Spring Clip	0.2	1%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	12%	2.9%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
4	<b>CD1 3636 3P1_3P2</b>	<b>20.3</b>	<b>100%</b>	<b>43.6%</b>	<b>2.9%</b>	<b>8.9</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Dome	7.6	37%	5.6%	0.0%	1.1	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.7	47%	34.9%	2.9%	7.1	0.6	Belton, SC
	Spring Clip	0.1	1%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	12%	3.1%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.4	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
5	<b>CD1 3660 3P1_3P2</b>	<b>29.4</b>	<b>100%</b>	<b>40.5%</b>	<b>2.6%</b>	<b>11.9</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Dome	12.9	44%	6.6%	0.0%	1.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	12.5	42%	31.1%	2.6%	9.1	0.8	Belton, SC
	Spring Clip	0.2	1%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	11%	2.8%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.5	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
6	<b>CD1 3672 3P1_3P2</b>	<b>33.5</b>	<b>100%</b>	<b>39.9%</b>	<b>2.5%</b>	<b>13.4</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Dome	15.2	45%	6.8%	0.0%	2.3	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.9	41%	30.3%	2.6%	10.2	0.9	Belton, SC
	Spring Clip	0.2	1%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.7	11%	2.7%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.6	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
7	<b>CD1 3696 3P1_3P2</b>	<b>41.8</b>	<b>100%</b>	<b>39.0%</b>	<b>2.4%</b>	<b>16.3</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Dome	19.7	47%	7.1%	0.0%	3.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	16.7	40%	29.2%	2.4%	12.2	1.0	Belton, SC
	Spring Clip	0.2	1%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	11%	2.6%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.7	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
8	<b>CD1 3612 3P1_3P2</b>	<b>50.8</b>	<b>100%</b>	<b>38.0%</b>	<b>2.3%</b>	<b>19.3</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Dome	25.1	49%	7.4%	0.0%	3.8	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	19.5	38%	28.1%	2.3%	14.3	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.2	10%	2.5%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.9	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
9	<b>CD1 4848 3P1_3P2</b>	<b>29.9</b>	<b>100%</b>	<b>40.1%</b>	<b>2.5%</b>	<b>12.0</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Dome	13.4	45%	6.7%	0.0%	2.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	12.5	42%	30.6%	2.6%	9.1	0.8	Belton, SC
	Spring Clip	0.2	1%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	11%	2.7%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.5	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
10	<b>CD1 4860 3P1_3P2</b>	<b>34.9</b>	<b>100%</b>	<b>38.9%</b>	<b>2.4%</b>	<b>13.6</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Dome	16.6	48%	7.1%	0.0%	2.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.9	40%	29.1%	2.4%	10.2	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.7	10%	2.6%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.6	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
11	<b>CD1 4872 3P1_3P2</b>	<b>40.0</b>	<b>100%</b>	<b>37.9%</b>	<b>2.3%</b>	<b>15.2</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Dome	19.8	50%	7.4%	0.0%	3.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	38%	28.0%	2.3%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	10%	2.5%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.7	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
12	<b>CD1 4896 3P1_3P2</b>	<b>50.1</b>	<b>100%</b>	<b>36.7%</b>	<b>2.2%</b>	<b>18.4</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Dome	26.2	52%	7.8%	0.0%	3.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	36%	26.5%	2.2%	13.3	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	10%	2.4%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
13	<b>CD1 4812 4P1_4P2</b>	<b>67.7</b>	<b>100%</b>	<b>33.5%</b>	<b>1.9%</b>	<b>22.7</b>	<b>1.3</b>	<b>Greenwood, SC</b>
	Dome	40.0	59%	8.9%	0.0%	6.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	20.9	31%	22.6%	1.8%	15.3	1.2	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.5	8%	2.0%	0.0%	1.4	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
14	<b>CD1 6060 4P1_4P2</b>	<b>45.3</b>	<b>100%</b>	<b>35.2%</b>	<b>2.1%</b>	<b>16.0</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Dome	25.1	55%	8.3%	0.0%	3.8	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	34%	24.7%	2.1%	11.2	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	9%	2.2%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
15	<b>CD1 6072 4P1_4P2</b>	<b>51.9</b>	<b>100%</b>	<b>34.3%</b>	<b>2.0%</b>	<b>17.8</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Dome	29.8	57%	8.6%	0.0%	4.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	16.7	32%	23.6%	2.0%	12.2	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	9%	2.1%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
16	<b>CD1 6096 4P1_4P2</b>	<b>65.8</b>	<b>100%</b>	<b>32.8%</b>	<b>1.8%</b>	<b>21.6</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Dome	40.0	61%	9.1%	0.0%	6.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	19.5	30%	21.7%	1.8%	14.3	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.2	8%	2.0%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
17	<b>CD1 6012 4P1_4P2</b>	<b>78.9</b>	<b>100%</b>	<b>32.0%</b>	<b>1.7%</b>	<b>25.2</b>	<b>1.4</b>	<b>Greenwood, SC</b>
	Dome	49.4	63%	9.4%	0.0%	7.4	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	22.3	28%	20.7%	1.7%	16.3	1.3	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.9	7%	1.9%	0.0%	1.5	0.0	Loudon TN
	Sealant	1.0	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
18	<b>CD1 7272 4P1_4P2</b>	<b>60.2</b>	<b>100%</b>	<b>33.0%</b>	<b>1.8%</b>	<b>19.9</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Dome	36.3	60%	9.0%	0.0%	5.4	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	30%	22.0%	1.8%	13.3	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	8%	2.0%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
19	<b>CD2 2448 1S1N2</b>	<b>24.8</b>	<b>100%</b>	<b>38.5%</b>	<b>2.4%</b>	<b>9.5</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Domes	12.2	49%	7.4%	0.0%	1.8	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	9.7	39%	28.5%	2.4%	7.1	0.6	Belton, SC
	Spring Clip	0.1	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	10%	2.5%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.2	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.1	0%	0.0%	0.0%	0.0	0.0	Flint, MI
20	<b>CD2 2496 1S1N2</b>	<b>43.9</b>	<b>100%</b>	<b>36.0%</b>	<b>2.1%</b>	<b>15.8</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	23.9	54%	8.1%	0.0%	3.6	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	15.3	35%	25.5%	2.1%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	9%	2.3%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
21	<b>CD2 2412 1S1N2</b>	<b>53.4</b>	<b>100%</b>	<b>35.4%</b>	<b>2.1%</b>	<b>18.9</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	29.7	56%	8.4%	0.0%	4.5	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	18.1	34%	24.8%	2.1%	13.2	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	9%	2.2%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
22	<b>CD2 3636 1S1N2</b>	<b>26.1</b>	<b>100%</b>	<b>37.3%</b>	<b>2.3%</b>	<b>9.7</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Domes	13.5	52%	7.8%	0.0%	2.0	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	9.7	37%	27.1%	2.3%	7.1	0.6	Belton, SC
	Spring Clip	0.1	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	10%	2.4%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.2	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.1	0%	0.0%	0.0%	0.0	0.0	Flint, MI
23	<b>CD2 3660 1S1N2</b>	<b>38.3</b>	<b>100%</b>	<b>34.6%</b>	<b>2.0%</b>	<b>13.3</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	22.1	58%	8.6%	0.0%	3.3	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	12.5	32%	23.8%	2.0%	9.1	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	9%	2.1%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.2	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
24	<b>CD2 3672 1S1N2</b>	<b>44.4</b>	<b>100%</b>	<b>33.8%</b>	<b>1.9%</b>	<b>15.0</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	26.3	59%	8.9%	0.0%	4.0	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	13.9	31%	22.9%	1.9%	10.2	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.6	8%	2.0%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
25	<b>CD2 3696 1S1N2</b>	<b>56.6</b>	<b>100%</b>	<b>32.7%</b>	<b>1.8%</b>	<b>18.5</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Domes	34.8	61%	9.2%	0.0%	5.2	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	16.7	29%	21.6%	1.8%	12.2	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	8%	1.9%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
26	<b>CD2 3612 1S1N2</b>	<b>68.8</b>	<b>100%</b>	<b>32.1%</b>	<b>1.7%</b>	<b>22.1</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Domes	43.3	63%	9.4%	0.0%	6.5	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	19.5	28%	20.7%	1.7%	14.2	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.1	7%	1.9%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
27	<b>CD2 4848 1S1N2</b>	<b>39.7</b>	<b>100%</b>	<b>33.9%</b>	<b>1.9%</b>	<b>13.5</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	23.4	59%	8.8%	0.0%	3.5	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	12.5	31%	23.0%	2.0%	9.1	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	8%	2.1%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.2	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
28	<b>CD2 4860 1S1N2</b>	<b>47.1</b>	<b>100%</b>	<b>32.7%</b>	<b>1.8%</b>	<b>15.4</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	29.0	61%	9.3%	0.0%	4.4	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	13.9	29%	21.6%	1.8%	10.2	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.6	8%	1.9%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
29	<b>CD2 4872 1S1N2</b>	<b>54.5</b>	<b>100%</b>	<b>31.9%</b>	<b>1.7%</b>	<b>17.4</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	34.5	63%	9.5%	0.0%	5.2	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	15.3	28%	20.5%	1.7%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	7%	1.8%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
30	<b>CD2 4896 1S1N2</b>	<b>69.4</b>	<b>100%</b>	<b>30.7%</b>	<b>1.6%</b>	<b>21.3</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	45.7	66%	9.9%	0.0%	6.9	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	18.1	26%	19.1%	1.5%	13.3	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	7%	1.7%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
31	<b>CD2 4812 1S1N2</b>	<b>84.2</b>	<b>100%</b>	<b>29.9%</b>	<b>1.5%</b>	<b>25.2</b>	<b>1.3</b>	<b>Greenwood, SC</b>
	Domes	56.9	68%	10.2%	0.0%	8.6	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	20.9	25%	18.1%	1.5%	15.2	1.3	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.5	7%	1.6%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.4	0%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
32	<b>CD2 6060 1S1N2</b>	<b>55.8</b>	<b>100%</b>	<b>31.5%</b>	<b>1.7%</b>	<b>17.6</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	35.9	64%	9.6%	0.0%	5.4	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	15.3	27%	20.0%	1.7%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	7%	1.8%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
33	<b>CD2 6072 1S1N2</b>	<b>64.6</b>	<b>100%</b>	<b>30.5%</b>	<b>1.6%</b>	<b>19.7</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Domes	42.8	66%	9.9%	0.0%	6.4	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	16.7	26%	18.9%	1.5%	12.2	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	7%	1.7%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
34	<b>CD2 6096 1S1N2</b>	<b>82.1</b>	<b>100%</b>	<b>29.3%</b>	<b>1.4%</b>	<b>24.1</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Domes	56.6	69%	10.3%	0.0%	8.5	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	19.5	24%	17.4%	1.4%	14.3	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.1	6%	1.6%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.4	0%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
35	<b>CD2 6012 1S1N2</b>	<b>99.5</b>	<b>100%</b>	<b>28.5%</b>	<b>1.4%</b>	<b>28.4</b>	<b>1.4</b>	<b>Greenwood, SC</b>
	Domes	70.4	71%	10.6%	0.0%	10.5	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	22.3	22%	16.4%	1.4%	16.3	1.4	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.9	6%	1.5%	0.0%	1.5	0.0	Loudon TN
	Sealant	0.3	0%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
36	<b>CD2 7272 1S1T2</b>	<b>74.7</b>	<b>100%</b>	<b>29.6%</b>	<b>1.5%</b>	<b>22.1</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	51.0	68%	10.2%	0.0%	7.6	0.0	Columbus, OH
	Aluminum Retaining Angle & Frame	18.1	24%	17.8%	1.5%	13.3	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	6%	1.6%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.4	0%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
37	<b>CD2 2448 2P1C2_2P1C1_2P2C1</b>	<b>25.2</b>	<b>100%</b>	<b>37.9%</b>	<b>2.3%</b>	<b>9.6</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Domes	12.4	49%	7.4%	0.0%	1.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.7	38%	28.1%	2.3%	7.1	0.6	Belton, SC
	Spring Clip	0.1	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	10%	2.5%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.1	0%	0.0%	0.0%	0.0	0.0	Flint, MI
38	<b>CD2 2496 2P1C2_2P1C1_2P2C1</b>	<b>45.2</b>	<b>100%</b>	<b>35.2%</b>	<b>2.1%</b>	<b>15.9</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	24.7	55%	8.2%	0.0%	3.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	34%	24.8%	2.1%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	9%	2.2%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
39	<b>CD2 2412 2P1C2_2P1C1_2P2C1</b>	<b>54.4</b>	<b>100%</b>	<b>34.8%</b>	<b>2.0%</b>	<b>19.0</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	30.2	55%	8.3%	0.0%	4.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	33%	24.3%	2.0%	13.2	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	9%	2.2%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
40	<b>CD2 3636 2P1C2_2P1C1_2P2C1</b>	<b>26.6</b>	<b>100%</b>	<b>36.8%</b>	<b>2.2%</b>	<b>9.8</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Domes	13.7	52%	7.8%	0.0%	2.1	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.7	36%	26.7%	2.2%	7.1	0.6	Belton, SC
	Spring Clip	0.1	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	9%	2.4%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.1	0%	0.0%	0.0%	0.0	0.0	Flint, MI
41	<b>CD2 3660 2P1C2_2P1C1_2P2C1</b>	<b>40.0</b>	<b>100%</b>	<b>33.7%</b>	<b>1.9%</b>	<b>13.5</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	23.3	58%	8.7%	0.0%	3.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	12.5	31%	22.9%	1.9%	9.1	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	8%	2.0%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.5	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	1%	0.0%	0.0%	0.0	0.0	Flint, MI



VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
42	<b>CD2 3672 2P1C2_2P1C1_2P2C1</b>	<b>46.0</b>	<b>100%</b>	<b>33.0%</b>	<b>1.8%</b>	<b>15.2</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	27.4	60%	9.0%	0.0%	4.1	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.9	30%	22.1%	1.8%	10.2	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.6	8%	2.0%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.6	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
43	<b>CD2 3696 2P1C2_2P1C1_2P2C1</b>	<b>58.0</b>	<b>100%</b>	<b>32.2%</b>	<b>1.8%</b>	<b>18.7</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Domes	35.7	61%	9.3%	0.0%	5.4	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	16.7	29%	21.1%	1.8%	12.2	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	8%	1.9%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
44	<b>CD2 3612 2P1C2_2P1C1_2P2C1</b>	<b>71.4</b>	<b>100%</b>	<b>31.3%</b>	<b>1.7%</b>	<b>22.4</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Domes	45.3	63%	9.6%	0.0%	6.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	19.5	27%	20.0%	1.7%	14.3	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.1	7%	1.8%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
45	<b>CD2 4848 2P1C2_2P1C1_2P2C1</b>	<b>40.9</b>	<b>100%</b>	<b>33.3%</b>	<b>1.9%</b>	<b>13.6</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	24.2	59%	8.9%	0.0%	3.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	12.5	30%	22.4%	1.8%	9.2	0.7	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	8%	2.0%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.5	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
46	<b>CD2 4860 2P1C2_2P1C1_2P2C1</b>	<b>48.3</b>	<b>100%</b>	<b>32.3%</b>	<b>1.7%</b>	<b>15.6</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	30.0	62%	9.3%	0.0%	4.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.9	29%	21.1%	1.8%	10.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.6	8%	1.9%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
47	<b>CD2 4872 2P1C2_2P1C1_2P2C1</b>	<b>56.2</b>	<b>100%</b>	<b>31.3%</b>	<b>1.7%</b>	<b>17.6</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	35.8	64%	9.6%	0.0%	5.4	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	27%	19.9%	1.6%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	7%	1.8%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.6	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
48	<b>CD2 4896 2P1C2_2P1C1_2P2C1</b>	<b>71.5</b>	<b>100%</b>	<b>30.1%</b>	<b>1.5%</b>	<b>21.5</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	47.4	66%	9.9%	0.0%	7.1	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	25%	18.5%	1.5%	13.2	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	7%	1.7%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
49	<b>CD2 4812 2P1C2_2P1C1_2P2C1</b>	<b>87.0</b>	<b>100%</b>	<b>29.3%</b>	<b>1.5%</b>	<b>25.5</b>	<b>1.3</b>	<b>Greenwood, SC</b>
	Domes	59.0	68%	10.2%	0.0%	8.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	20.9	24%	17.5%	1.5%	15.2	1.3	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.5	6%	1.6%	0.0%	1.4	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
50	<b>CD2 6060 2P1C2_2P1C1_2P2C1</b>	<b>57.4</b>	<b>100%</b>	<b>30.9%</b>	<b>1.6%</b>	<b>17.8</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	37.0	64%	9.7%	0.0%	5.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.2	26%	19.5%	1.7%	11.2	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	7%	1.7%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.6	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
51	<b>CD2 6072 2P1C2_2P1C1_2P2C1</b>	<b>66.6</b>	<b>100%</b>	<b>30.0%</b>	<b>1.5%</b>	<b>20.0</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Domes	44.4	67%	10.0%	0.0%	6.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	16.7	25%	18.4%	1.5%	12.3	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	7%	1.6%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
52	<b>CD2 6096 2P1C2_2P1C1_2P2C1</b>	<b>84.8</b>	<b>100%</b>	<b>28.8%</b>	<b>1.4%</b>	<b>24.4</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Domes	58.7	69%	10.4%	0.0%	8.8	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	19.5	23%	16.9%	1.4%	14.3	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.1	6%	1.5%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.8	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
53	<b>CD2 6012 2P1C2_2P1C1_2P2C1</b>	<b>102.6</b>	<b>100%</b>	<b>28.0%</b>	<b>1.3%</b>	<b>28.8</b>	<b>1.4</b>	<b>Greenwood, SC</b>
	Domes	73.0	71%	10.6%	0.0%	10.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	22.3	22%	15.9%	1.4%	16.3	1.4	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.9	6%	1.4%	0.0%	1.4	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
54	<b>CD2 7272 2P1P2_2P2P1</b>	<b>89.2</b>	<b>100%</b>	<b>27.1%</b>	<b>1.2%</b>	<b>24.2</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	65.1	73%	10.9%	0.0%	9.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	20%	14.9%	1.2%	13.3	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	5%	1.3%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
55	<b>CD2 2448 3P1C2_3P1C1_3P2C1</b>	<b>23.6</b>	<b>100%</b>	<b>39.5%</b>	<b>2.5%</b>	<b>9.3</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Domes	10.8	46%	6.8%	0.0%	1.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.7	41%	29.9%	2.4%	7.1	0.6	Belton, SC
	Spring Clip	0.1	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	11%	2.7%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.4	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.1	1%	0.0%	0.0%	0.0	0.0	Flint, MI
56	<b>CD2 2496 3P1C2_3P1C1_3P2C1</b>	<b>42.0</b>	<b>100%</b>	<b>36.8%</b>	<b>2.2%</b>	<b>15.4</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	21.6	51%	7.7%	0.0%	3.2	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	36%	26.7%	2.3%	11.2	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	10%	2.4%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.7	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
57	<b>CD2 2412 3P1C2_3P1C1_3P2C1</b>	<b>50.5</b>	<b>100%</b>	<b>36.4%</b>	<b>2.2%</b>	<b>18.4</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	26.4	52%	7.9%	0.0%	4.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	36%	26.2%	2.1%	13.2	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	9%	2.4%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
58	<b>CD2 3636 3P1C2_3P1C1_3P2C1</b>	<b>24.8</b>	<b>100%</b>	<b>38.3%</b>	<b>2.4%</b>	<b>9.5</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Domes	12.0	48%	7.3%	0.0%	1.8	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.7	39%	28.5%	2.4%	7.1	0.6	Belton, SC
	Spring Clip	0.1	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	10%	2.5%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.4	2%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.1	0%	0.0%	0.0%	0.0	0.0	Flint, MI
59	<b>CD2 3660 3P1C2_3P1C1_3P2C1</b>	<b>37.0</b>	<b>100%</b>	<b>35.2%</b>	<b>2.1%</b>	<b>13.0</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	20.4	55%	8.2%	0.0%	3.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	12.5	34%	24.7%	2.1%	9.1	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	9%	2.2%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.5	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
60	<b>CD2 3672 3P1C2_3P1C1_3P2C1</b>	<b>42.5</b>	<b>100%</b>	<b>34.5%</b>	<b>2.0%</b>	<b>14.7</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	24.0	56%	8.5%	0.0%	3.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.9	33%	24.0%	2.0%	10.2	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.6	9%	2.1%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.6	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
61	<b>CD2 3696 3P1C2_3P1C1_3P2C1</b>	<b>53.4</b>	<b>100%</b>	<b>33.7%</b>	<b>1.9%</b>	<b>18.0</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Domes	31.2	58%	8.7%	0.0%	4.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	16.7	31%	22.8%	2.0%	12.2	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	8%	2.1%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
62	<b>CD2 3612 3P1C2_3P1C1_3P2C1</b>	<b>65.6</b>	<b>100%</b>	<b>32.8%</b>	<b>1.8%</b>	<b>21.5</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Domes	39.6	60%	9.0%	0.0%	5.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	19.5	30%	21.8%	1.8%	14.3	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.1	8%	2.0%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
63	<b>CD2 4848 3P1C2_3P1C1_3P2C1</b>	<b>37.5</b>	<b>100%</b>	<b>35.1%</b>	<b>2.0%</b>	<b>13.1</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	21.2	56%	8.5%	0.0%	3.2	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	12.5	33%	24.4%	2.0%	9.1	0.7	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	9%	2.2%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.2	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
64	<b>CD2 4860 3P1C2_3P1C1_3P2C1</b>	<b>44.4</b>	<b>100%</b>	<b>33.8%</b>	<b>1.9%</b>	<b>15.0</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	26.3	59%	8.9%	0.0%	4.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.9	31%	22.9%	1.9%	10.2	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.6	8%	2.1%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
65	<b>CD2 4872 3P1C2_3P1C1_3P2C1</b>	<b>51.3</b>	<b>100%</b>	<b>32.9%</b>	<b>1.8%</b>	<b>16.9</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	31.3	61%	9.2%	0.0%	4.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	30%	21.8%	1.8%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	8%	2.0%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
66	<b>CD2 4896 3P1C2_3P1C1_3P2C1</b>	<b>65.1</b>	<b>100%</b>	<b>31.7%</b>	<b>1.7%</b>	<b>20.7</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	41.4	64%	9.5%	0.0%	6.2	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	28%	20.4%	1.7%	13.3	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	7%	1.8%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
67	<b>CD2 4812 3P1C2_3P1C1_3P2C1</b>	<b>79.5</b>	<b>100%</b>	<b>30.7%</b>	<b>1.6%</b>	<b>24.4</b>	<b>1.3</b>	<b>Greenwood, SC</b>
	Domes	51.6	65%	9.8%	0.0%	7.8	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	20.9	26%	19.2%	1.6%	15.3	1.3	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.5	7%	1.7%	0.0%	1.4	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
68	<b>CD2 6060 3P1C2_3P1C1_3P2C1</b>	<b>52.4</b>	<b>100%</b>	<b>32.6%</b>	<b>1.8%</b>	<b>17.1</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	32.4	62%	9.3%	0.0%	4.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	29%	21.4%	1.8%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	8%	1.9%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI
69	<b>CD2 6072 3P1C2_3P1C1_3P2C1</b>	<b>60.7</b>	<b>100%</b>	<b>31.6%</b>	<b>1.7%</b>	<b>19.1</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Domes	38.8	64%	9.6%	0.0%	5.8	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	16.7	27%	20.2%	1.7%	12.3	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	7%	1.8%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
70	<b>CD2 6096 3P1C2_3P1C1_3P2C1</b>	<b>77.0</b>	<b>100%</b>	<b>30.3%</b>	<b>1.5%</b>	<b>23.3</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Domes	51.4	67%	10.0%	0.0%	7.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	19.5	25%	18.6%	1.5%	14.3	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.3	7%	1.7%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.4	0%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
71	<b>CD2 6012 3P1C2_3P1C1_3P2C1</b>	<b>93.0</b>	<b>100%</b>	<b>29.5%</b>	<b>1.5%</b>	<b>27.4</b>	<b>1.4</b>	<b>Greenwood, SC</b>
	Domes	63.9	69%	10.3%	0.0%	9.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	22.3	24%	17.5%	1.5%	16.3	1.4	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.9	6%	1.6%	0.0%	1.5	0.0	Loudon TN
	Sealant	0.3	0%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	0%	0.0%	0.0%	0.0	0.0	Flint, MI
72	<b>CD2 7272 3P1P2_3P1P1</b>	<b>83.4</b>	<b>100%</b>	<b>28.0%</b>	<b>1.3%</b>	<b>23.3</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	59.2	71%	10.7%	0.0%	8.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	22%	15.9%	1.3%	13.3	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	6%	1.4%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
73	<b>CDS 4848 3P200</b>	<b>22.8</b>	<b>100%</b>	<b>40.8%</b>	<b>2.4%</b>	<b>9.3</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Dome	13.4	59%	11.7%	0.0%	2.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.0	40%	29.1%	2.4%	6.6	0.5	Belton, SC
	Screws	0.1	1%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Sealant	0.3	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
74	<b>CDS 4896 3P200</b>	<b>39.9</b>	<b>100%</b>	<b>37.3%</b>	<b>2.0%</b>	<b>14.9</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Dome	26.2	66%	13.2%	0.0%	5.3	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.2	33%	24.5%	2.0%	9.8	0.8	Belton, SC
	Screws	0.2	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL



VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
75	<b>CD3 2448 3P1P1C2_3P1P1C1</b>	<b>30.6</b>	<b>100%</b>	<b>33.9%</b>	<b>1.9%</b>	<b>10.4</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Domes	17.6	58%	8.7%	0.0%	2.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.7	32%	23.1%	2.0%	7.1	0.6	Belton, SC
	Spring Clip	0.1	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	8%	2.1%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	1%	0.0%	0.0%	0.0	0.0	Flint, MI
76	<b>CD3 2496 3P1P1C2_3P1P1C1</b>	<b>55.8</b>	<b>100%</b>	<b>31.3%</b>	<b>1.7%</b>	<b>17.5</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	35.3	63%	9.5%	0.0%	5.3	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	27%	20.0%	1.7%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	7%	1.8%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.4	1%	0.0%	0.0%	0.0	0.0	Flint, MI
77	<b>CD3 2412 3P1P1C2_3P1P1C1</b>	<b>67.5</b>	<b>100%</b>	<b>31.0%</b>	<b>1.6%</b>	<b>20.9</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	43.1	64%	9.6%	0.0%	6.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	27%	19.6%	1.7%	13.2	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	7%	1.8%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.5	1%	0.0%	0.0%	0.0	0.0	Flint, MI
78	<b>CD3 3636 3P1P1C2_3P1P1C1</b>	<b>32.6</b>	<b>100%</b>	<b>32.7%</b>	<b>1.8%</b>	<b>10.7</b>	<b>0.6</b>	<b>Greenwood, SC</b>
	Domes	19.6	60%	9.0%	0.0%	2.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	9.7	30%	21.7%	1.8%	7.1	0.6	Belton, SC
	Spring Clip	0.1	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	2.5	8%	1.9%	0.0%	0.6	0.0	Loudon TN
	Sealant	0.4	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.2	1%	0.0%	0.0%	0.0	0.0	Flint, MI
79	<b>CD3 3660 3P1P1C2_3P1P1C1</b>	<b>50.1</b>	<b>100%</b>	<b>29.9%</b>	<b>1.5%</b>	<b>15.0</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	33.3	67%	10.0%	0.0%	5.0	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	12.5	25%	18.2%	1.5%	9.1	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	7%	1.6%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.5	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	1%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
80	<b>CD3 3672 3P1P1C2_3P1P1C1</b>	<b>57.9</b>	<b>100%</b>	<b>29.3%</b>	<b>1.5%</b>	<b>17.0</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	39.2	68%	10.1%	0.0%	5.8	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.9	24%	17.6%	1.5%	10.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.7	6%	1.6%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.6	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	1%	0.0%	0.0%	0.0	0.0	Flint, MI
81	<b>CD3 3696 3P1P1C2_3P1P1C1</b>	<b>73.4</b>	<b>100%</b>	<b>28.6%</b>	<b>1.4%</b>	<b>21.0</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Domes	50.9	69%	10.3%	0.0%	7.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	16.7	23%	16.7%	1.4%	12.3	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	6%	1.5%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.4	1%	0.0%	0.0%	0.0	0.0	Flint, MI
82	<b>CD3 3612 3P1P1C2_3P1P1C1</b>	<b>90.9</b>	<b>100%</b>	<b>27.8%</b>	<b>1.3%</b>	<b>25.3</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Domes	64.7	71%	10.6%	0.0%	9.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	19.5	21%	15.7%	1.3%	14.3	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.2	6%	1.4%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.5	1%	0.0%	0.0%	0.0	0.0	Flint, MI
83	<b>CD3 4848 3P1P1C2_3P1P1C1</b>	<b>51.3</b>	<b>100%</b>	<b>29.5%</b>	<b>1.5%</b>	<b>15.1</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	34.5	67%	10.1%	0.0%	5.2	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	12.5	24%	17.9%	1.5%	9.2	0.8	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.3	6%	1.6%	0.0%	0.8	0.0	Loudon TN
	Sealant	0.5	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	1%	0.0%	0.0%	0.0	0.0	Flint, MI
84	<b>CD3 4860 3P1P1C2_3P1P1C1</b>	<b>61.5</b>	<b>100%</b>	<b>28.5%</b>	<b>1.4%</b>	<b>17.5</b>	<b>0.8</b>	<b>Greenwood, SC</b>
	Domes	42.9	70%	10.6%	0.0%	6.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	13.9	23%	16.5%	1.4%	10.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	3.7	6%	1.5%	0.0%	0.9	0.0	Loudon TN
	Sealant	0.6	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.3	1%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
85	<b>CD3 4872 3P1P1C2_3P1P1C1</b>	<b>71.7</b>	<b>100%</b>	<b>27.7%</b>	<b>1.3%</b>	<b>19.9</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	51.1	71%	10.7%	0.0%	7.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	21%	15.6%	1.3%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	6%	1.4%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.4	1%	0.0%	0.0%	0.0	0.0	Flint, MI
86	<b>CD3 4896 3P1P1C2_3P1P1C1</b>	<b>92.0</b>	<b>100%</b>	<b>26.7%</b>	<b>1.2%</b>	<b>24.6</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	67.6	74%	11.1%	0.0%	10.2	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	20%	14.4%	1.2%	13.2	1.1	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	5%	1.3%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.5	1%	0.0%	0.0%	0.0	0.0	Flint, MI
87	<b>CD3 4812 3P1P1C2_3P1P1C1</b>	<b>112.4</b>	<b>100%</b>	<b>26.1%</b>	<b>1.1%</b>	<b>29.3</b>	<b>1.3</b>	<b>Greenwood, SC</b>
	Domes	84.3	75%	11.3%	0.0%	12.7	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	20.9	19%	13.6%	1.1%	15.3	1.2	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.5	5%	1.2%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.5	0%	0.0%	0.0%	0.0	0.0	Flint, MI
88	<b>CD3 6060 3P1P1C2_3P1P1C1</b>	<b>73.5</b>	<b>100%</b>	<b>27.4%</b>	<b>1.3%</b>	<b>20.1</b>	<b>0.9</b>	<b>Greenwood, SC</b>
	Domes	52.9	72%	10.8%	0.0%	7.9	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	15.3	21%	15.2%	1.2%	11.2	0.9	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.0	5%	1.4%	0.0%	1.0	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.4	1%	0.0%	0.0%	0.0	0.0	Flint, MI
89	<b>CD3 6072 3P1P1C2_3P1P1C1</b>	<b>85.9</b>	<b>100%</b>	<b>26.6%</b>	<b>1.2%</b>	<b>22.8</b>	<b>1.0</b>	<b>Greenwood, SC</b>
	Domes	63.4	74%	11.1%	0.0%	9.5	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	16.7	19%	14.3%	1.2%	12.3	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.4	5%	1.3%	0.0%	1.1	0.0	Loudon TN
	Sealant	0.7	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.4	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
90	<b>CD3 6096 3P1P1C2_3P1P1C1</b>	<b>110.2</b>	<b>100%</b>	<b>25.6%</b>	<b>1.1%</b>	<b>28.2</b>	<b>1.2</b>	<b>Greenwood, SC</b>
	Domes	83.9	76%	11.4%	0.0%	12.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	19.5	18%	12.9%	1.1%	14.2	1.2	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.3	5%	1.2%	0.0%	1.3	0.0	Loudon TN
	Sealant	0.9	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.5	0%	0.0%	0.0%	0.0	0.0	Flint, MI
91	<b>CD3 6012 3P1P1C2_3P1P1C1</b>	<b>134.4</b>	<b>100%</b>	<b>24.9%</b>	<b>1.0%</b>	<b>33.5</b>	<b>1.4</b>	<b>Greenwood, SC</b>
	Domes	104.3	78%	11.6%	0.0%	15.6	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	22.3	17%	12.2%	1.0%	16.4	1.3	Belton, SC
	Spring Clip	0.3	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	5.9	4%	1.1%	0.0%	1.5	0.0	Loudon TN
	Sealant	1.0	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.0	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.6	0%	0.0%	0.0%	0.0	0.0	Flint, MI
92	<b>CD3 7272 3P1P1P2_3P1P1P1</b>	<b>113.2</b>	<b>100%</b>	<b>24.5%</b>	<b>1.0%</b>	<b>27.8</b>	<b>1.1</b>	<b>Greenwood, SC</b>
	Domes	88.9	78%	11.7%	0.0%	13.2	0.0	Sheffield, MA
	Aluminum Retaining Angle & Frame	18.1	16%	11.7%	0.9%	13.2	1.0	Belton, SC
	Spring Clip	0.2	0%	0.0%	0.0%	0.0	0.0	Yonkers NY
	Gasket	4.8	4%	1.1%	0.0%	1.2	0.0	Loudon TN
	Sealant	0.8	1%	0.0%	0.0%	0.0	0.0	New Smyrna Beach FL
	Screws	0.1	0%	0.0%	0.0%	0.0	0.0	Rockford, IL
	Foam Tape	0.5	0%	0.0%	0.0%	0.0	0.0	Flint, MI

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
93	<b>CCAM 2448 0920</b>	<b>21.6</b>	<b>100%</b>	<b>37.1%</b>	<b>47.2%</b>	<b>8.0</b>	<b>10.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	9.9	46%	0.0%	43.9%	0.0	9.5	Ulrichsville, OH
	Curb Insulation	2.3	11%	1.5%	2.5%	0.3	0.5	Greer, SC
	MDF Board	9.5	44%	35.6%	0.9%	7.7	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
94	<b>CCAM 2448 1220</b>	<b>25.0</b>	<b>100%</b>	<b>32.7%</b>	<b>51.0%</b>	<b>8.2</b>	<b>12.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	12.3	49%	0.0%	47.2%	0.0	11.8	Ulrichsville, OH
	Curb Insulation	3.2	13%	1.8%	3.1%	0.4	0.8	Greer, SC
	MDF Board	9.5	38%	30.9%	0.8%	7.7	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
95	<b>CCAM 2448 1620</b>	<b>29.5</b>	<b>100%</b>	<b>28.3%</b>	<b>54.8%</b>	<b>8.3</b>	<b>16.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	15.5	53%	0.0%	50.5%	0.0	14.9	Ulrichsville, OH
	Curb Insulation	4.5	15%	2.2%	3.6%	0.6	1.1	Greer, SC
	MDF Board	9.5	32%	26.1%	0.6%	7.7	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
96	<b>CCAM 2496 0920</b>	<b>36.0</b>	<b>100%</b>	<b>36.4%</b>	<b>48.3%</b>	<b>13.1</b>	<b>17.4</b>	<b>Greenwood, SC</b>
	Sheet Metal	16.9	47%	0.0%	45.0%	0.0	16.2	Ulrichsville, OH
	Curb Insulation	3.7	10%	1.4%	2.4%	0.5	0.9	Greer, SC
	MDF Board	15.5	43%	35.0%	0.9%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
97	<b>CCAM 2496 1220</b>	<b>41.7</b>	<b>100%</b>	<b>32.0%</b>	<b>52.1%</b>	<b>13.3</b>	<b>21.7</b>	<b>Greenwood, SC</b>
	Sheet Metal	21.0	50%	0.0%	48.4%	0.0	20.2	Ulrichsville, OH
	Curb Insulation	5.2	12%	1.8%	2.9%	0.7	1.2	Greer, SC
	MDF Board	15.5	37%	30.2%	0.7%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
98	<b>CCAM 2496 1620</b>	<b>49.2</b>	<b>100%</b>	<b>27.7%</b>	<b>55.9%</b>	<b>13.6</b>	<b>27.5</b>	<b>Greenwood, SC</b>
	Sheet Metal	26.6	54%	0.0%	51.8%	0.0	25.5	Ulrichsville, OH
	Curb Insulation	7.2	15%	2.1%	3.6%	1.0	1.8	Greer, SC
	MDF Board	15.5	31%	25.6%	0.6%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
99	<b>CCAM 2412 0920</b>	<b>43.1</b>	<b>100%</b>	<b>36.5%</b>	<b>48.2%</b>	<b>15.7</b>	<b>20.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	20.2	47%	0.0%	44.9%	0.0	19.3	Ulrichsville, OH
	Curb Insulation	4.4	10%	1.4%	2.4%	0.6	1.0	Greer, SC
	MDF Board	18.5	43%	35.0%	0.9%	15.1	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
100	<b>CCAM 2412 1220</b>	<b>49.8</b>	<b>100%</b>	<b>32.0%</b>	<b>52.1%</b>	<b>16.0</b>	<b>25.9</b>	<b>Greenwood, SC</b>
	Sheet Metal	25.1	50%	0.0%	48.4%	0.0	24.1	Ulrichsville, OH
	Curb Insulation	6.2	12%	1.8%	3.0%	0.9	1.5	Greer, SC
	MDF Board	18.5	37%	30.3%	0.7%	15.1	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
101	<b>CCAM 2412 1620</b>	<b>58.9</b>	<b>100%</b>	<b>27.7%</b>	<b>55.8%</b>	<b>16.3</b>	<b>32.9</b>	<b>Greenwood, SC</b>
	Sheet Metal	31.7	54%	0.0%	51.7%	0.0	30.4	Ulrichsville, OH
	Curb Insulation	8.6	15%	2.1%	3.5%	1.2	2.1	Greer, SC
	MDF Board	18.5	31%	25.6%	0.6%	15.1	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
102	<b>CCAM 3636 0920</b>	<b>21.6</b>	<b>100%</b>	<b>37.1%</b>	<b>47.2%</b>	<b>8.0</b>	<b>10.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	9.9	46%	0.0%	43.9%	0.0	9.5	Ulrichsville, OH
	Curb Insulation	2.3	11%	1.5%	2.5%	0.3	0.5	Greer, SC
	MDF Board	9.5	44%	35.6%	0.9%	7.7	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
103	<b>CCAM 3636 1220</b>	<b>25.0</b>	<b>100%</b>	<b>32.7%</b>	<b>51.0%</b>	<b>8.2</b>	<b>12.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	12.3	49%	0.0%	47.2%	0.0	11.8	Ulrichsville, OH
	Curb Insulation	3.2	13%	1.8%	3.1%	0.4	0.8	Greer, SC
	MDF Board	9.5	38%	30.9%	0.8%	7.7	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
104	<b>CCAM 3636 1620</b>	<b>29.5</b>	<b>100%</b>	<b>28.3%</b>	<b>54.8%</b>	<b>8.3</b>	<b>16.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	15.5	53%	0.0%	50.5%	0.0	14.9	Ulrichsville, OH
	Curb Insulation	4.5	15%	2.2%	3.6%	0.6	1.1	Greer, SC
	MDF Board	9.5	32%	26.2%	0.6%	7.7	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
105	<b>CCAM 3660 0920</b>	<b>29.1</b>	<b>100%</b>	<b>36.4%</b>	<b>48.2%</b>	<b>10.6</b>	<b>14.0</b>	<b>Greenwood, SC</b>
	Sheet Metal	13.6	47%	0.0%	44.9%	0.0	13.1	Ulrichsville, OH
	Curb Insulation	3.0	10%	1.5%	2.5%	0.4	0.7	Greer, SC
	MDF Board	12.5	43%	34.9%	0.9%	10.2	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
106	<b>CCAM 3660 1220</b>	<b>33.7</b>	<b>100%</b>	<b>31.9%</b>	<b>52.0%</b>	<b>10.8</b>	<b>17.5</b>	<b>Greenwood, SC</b>
	Sheet Metal	17.0	50%	0.0%	48.3%	0.0	16.3	Ulrichsville, OH
	Curb Insulation	4.3	13%	1.8%	3.0%	0.6	1.0	Greer, SC
	MDF Board	12.5	37%	30.2%	0.7%	10.2	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
107	<b>CCAM 3660 1620</b>	<b>39.8</b>	<b>100%</b>	<b>27.6%</b>	<b>55.8%</b>	<b>11.0</b>	<b>22.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	21.4	54%	0.0%	51.6%	0.0	20.5	Ulrichsville, OH
	Curb Insulation	5.9	15%	2.1%	3.5%	0.8	1.4	Greer, SC
	MDF Board	12.5	31%	25.5%	0.6%	10.1	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
108	<b>CCAM 3672 0920</b>	<b>32.5</b>	<b>100%</b>	<b>36.4%</b>	<b>48.3%</b>	<b>11.8</b>	<b>15.7</b>	<b>Greenwood, SC</b>
	Sheet Metal	15.2	47%	0.0%	45.0%	0.0	14.6	Ulrichsville, OH
	Curb Insulation	3.3	10%	1.4%	2.4%	0.5	0.8	Greer, SC
	MDF Board	14.0	43%	35.0%	0.9%	11.4	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
109	<b>CCAM 3672 1220</b>	<b>37.6</b>	<b>100%</b>	<b>32.0%</b>	<b>52.1%</b>	<b>12.0</b>	<b>19.6</b>	<b>Greenwood, SC</b>
	Sheet Metal	19.0	50%	0.0%	48.5%	0.0	18.2	Ulrichsville, OH
	Curb Insulation	4.7	12%	1.8%	2.9%	0.7	1.1	Greer, SC
	MDF Board	14.0	37%	30.3%	0.7%	11.4	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
110	<b>CCAM 3672 1620</b>	<b>44.4</b>	<b>100%</b>	<b>27.7%</b>	<b>55.9%</b>	<b>12.3</b>	<b>24.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	24.0	54%	0.0%	51.8%	0.0	23.0	Ulrichsville, OH
	Curb Insulation	6.5	15%	2.1%	3.5%	0.9	1.6	Greer, SC
	MDF Board	14.0	31%	25.6%	0.6%	11.4	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
111	<b>CCAM 3696 0920</b>	<b>39.6</b>	<b>100%</b>	<b>36.5%</b>	<b>48.2%</b>	<b>14.4</b>	<b>19.1</b>	<b>Greenwood, SC</b>
	Sheet Metal	18.5	47%	0.0%	45.0%	0.0	17.8	Ulrichsville, OH
	Curb Insulation	4.0	10%	1.4%	2.4%	0.6	0.9	Greer, SC
	MDF Board	17.0	43%	35.0%	0.9%	13.9	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
112	<b>CCAM 3696 1220</b>	<b>45.8</b>	<b>100%</b>	<b>32.1%</b>	<b>52.1%</b>	<b>14.7</b>	<b>23.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	23.1	50%	0.0%	48.4%	0.0	22.2	Ulrichsville, OH
	Curb Insulation	5.7	12%	1.8%	3.0%	0.8	1.4	Greer, SC
	MDF Board	17.0	37%	30.3%	0.7%	13.9	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
113	<b>CCAM 3696 1620</b>	<b>54.1</b>	<b>100%</b>	<b>27.7%</b>	<b>55.8%</b>	<b>15.0</b>	<b>30.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	29.1	54%	0.0%	51.7%	0.0	28.0	Ulrichsville, OH
	Curb Insulation	7.9	15%	2.1%	3.5%	1.1	1.9	Greer, SC
	MDF Board	17.0	31%	25.7%	0.6%	13.9	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
114	<b>CCAM 3612 0920</b>	<b>46.6</b>	<b>100%</b>	<b>36.5%</b>	<b>48.2%</b>	<b>17.0</b>	<b>22.5</b>	<b>Greenwood, SC</b>
	Sheet Metal	21.8	47%	0.0%	45.0%	0.0	21.0	Ulrichsville, OH
	Curb Insulation	4.7	10%	1.4%	2.4%	0.7	1.1	Greer, SC
	MDF Board	20.0	43%	35.0%	0.9%	16.3	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
115	<b>CCAM 3612 1220</b>	<b>53.9</b>	<b>100%</b>	<b>32.0%</b>	<b>52.1%</b>	<b>17.3</b>	<b>28.1</b>	<b>Greenwood, SC</b>
	Sheet Metal	27.2	50%	0.0%	48.3%	0.0	26.0	Ulrichsville, OH
	Curb Insulation	6.7	12%	1.8%	3.0%	1.0	1.6	Greer, SC
	MDF Board	20.0	37%	30.3%	0.7%	16.3	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
116	<b>CCAM 3612 1620</b>	<b>63.7</b>	<b>100%</b>	<b>27.7%</b>	<b>55.8%</b>	<b>17.6</b>	<b>35.5</b>	<b>Greenwood, SC</b>
	Sheet Metal	34.3	54%	0.0%	51.7%	0.0	32.9	Ulrichsville, OH
	Curb Insulation	9.3	15%	2.1%	3.5%	1.3	2.2	Greer, SC
	MDF Board	20.0	31%	25.6%	0.6%	16.3	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
117	<b>CCAM 4848 0920</b>	<b>29.1</b>	<b>100%</b>	<b>36.4%</b>	<b>48.2%</b>	<b>10.6</b>	<b>14.0</b>	<b>Greenwood, SC</b>
	Sheet Metal	13.6	47%	0.0%	44.9%	0.0	13.1	Ulrichsville, OH
	Curb Insulation	3.0	10%	1.5%	2.5%	0.4	0.7	Greer, SC
	MDF Board	12.5	43%	34.9%	0.9%	10.2	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
118	<b>CCAM 4848 1220</b>	<b>33.7</b>	<b>100%</b>	<b>31.9%</b>	<b>52.0%</b>	<b>10.8</b>	<b>17.5</b>	<b>Greenwood, SC</b>
	Sheet Metal	17.0	50%	0.0%	48.3%	0.0	16.3	Ulrichsville, OH
	Curb Insulation	4.3	13%	1.8%	3.0%	0.6	1.0	Greer, SC
	MDF Board	12.5	37%	30.2%	0.7%	10.2	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
119	<b>CCAM 4848 1620</b>	<b>39.8</b>	<b>100%</b>	<b>27.6%</b>	<b>55.8%</b>	<b>11.0</b>	<b>22.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	21.4	54%	0.0%	51.6%	0.0	20.5	Ulrichsville, OH
	Curb Insulation	5.9	15%	2.1%	3.5%	0.8	1.4	Greer, SC
	MDF Board	12.5	31%	25.5%	0.6%	10.1	0.2	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
120	<b>CCAM 4860 0920</b>	<b>32.5</b>	<b>100%</b>	<b>36.4%</b>	<b>48.3%</b>	<b>11.8</b>	<b>15.7</b>	<b>Greenwood, SC</b>
	Sheet Metal	15.2	47%	0.0%	45.0%	0.0	14.6	Ulrichsville, OH
	Curb Insulation	3.3	10%	1.4%	2.4%	0.5	0.8	Greer, SC
	MDF Board	14.0	43%	35.0%	0.9%	11.4	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
121	<b>CCAM 4860 1220</b>	<b>37.6</b>	<b>100%</b>	<b>32.0%</b>	<b>52.1%</b>	<b>12.0</b>	<b>19.6</b>	<b>Greenwood, SC</b>
	Sheet Metal	19.0	50%	0.0%	48.5%	0.0	18.2	Ulrichsville, OH
	Curb Insulation	4.7	12%	1.8%	2.9%	0.7	1.1	Greer, SC
	MDF Board	14.0	37%	30.3%	0.7%	11.4	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
122	<b>CCAM 4860 1620</b>	<b>44.4</b>	<b>100%</b>	<b>27.7%</b>	<b>55.9%</b>	<b>12.3</b>	<b>24.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	24.0	54%	0.0%	51.8%	0.0	23.0	Ulrichsville, OH
	Curb Insulation	6.5	15%	2.1%	3.5%	0.9	1.6	Greer, SC
	MDF Board	14.0	31%	25.6%	0.6%	11.4	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
123	<b>CCAM 4872 0920</b>	<b>36.1</b>	<b>100%</b>	<b>36.4%</b>	<b>48.2%</b>	<b>13.1</b>	<b>17.4</b>	<b>Greenwood, SC</b>
	Sheet Metal	16.9	47%	0.0%	44.9%	0.0	16.2	Ulrichsville, OH
	Curb Insulation	3.7	10%	1.5%	2.5%	0.5	0.9	Greer, SC
	MDF Board	15.5	43%	34.9%	0.9%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
124	<b>CCAM 4872 1220</b>	<b>41.8</b>	<b>100%</b>	<b>31.9%</b>	<b>52.1%</b>	<b>13.4</b>	<b>21.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	21.0	50%	0.0%	48.3%	0.0	20.2	Ulrichsville, OH
	Curb Insulation	5.3	13%	1.8%	3.0%	0.8	1.3	Greer, SC
	MDF Board	15.5	37%	30.2%	0.7%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
125	<b>CCAM 4872 1620</b>	<b>49.4</b>	<b>100%</b>	<b>27.6%</b>	<b>55.8%</b>	<b>13.6</b>	<b>27.6</b>	<b>Greenwood, SC</b>
	Sheet Metal	26.6	54%	0.0%	51.6%	0.0	25.5	Ulrichsville, OH
	Curb Insulation	7.4	15%	2.1%	3.5%	1.0	1.7	Greer, SC
	MDF Board	15.5	31%	25.5%	0.6%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
126	<b>CCAM 4896 0920</b>	<b>43.2</b>	<b>100%</b>	<b>36.4%</b>	<b>48.2%</b>	<b>15.7</b>	<b>20.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	20.2	47%	0.0%	44.9%	0.0	19.4	Ulrichsville, OH
	Curb Insulation	4.5	10%	1.5%	2.5%	0.6	1.1	Greer, SC
	MDF Board	18.5	43%	35.0%	0.9%	15.1	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
127	<b>CCAM 4896 1220</b>	<b>50.0</b>	<b>100%</b>	<b>32.0%</b>	<b>52.0%</b>	<b>16.0</b>	<b>26.0</b>	<b>Greenwood, SC</b>
	Sheet Metal	25.1	50%	0.0%	48.2%	0.0	24.1	Ulrichsville, OH
	Curb Insulation	6.3	13%	1.8%	3.0%	0.9	1.5	Greer, SC
	MDF Board	18.5	37%	30.2%	0.7%	15.1	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
128	<b>CCAM 4896 1620</b>	<b>59.0</b>	<b>100%</b>	<b>27.7%</b>	<b>55.7%</b>	<b>16.3</b>	<b>32.9</b>	<b>Greenwood, SC</b>
	Sheet Metal	31.7	54%	0.0%	51.6%	0.0	30.5	Ulrichsville, OH
	Curb Insulation	8.8	15%	2.1%	3.5%	1.2	2.1	Greer, SC
	MDF Board	18.5	31%	25.6%	0.6%	15.1	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China



VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
129	<b>CCAM 4812 0920</b>	<b>50.1</b>	<b>100%</b>	<b>36.5%</b>	<b>48.2%</b>	<b>18.3</b>	<b>24.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	23.4	47%	0.0%	44.9%	0.0	22.5	Ulrichsville, OH
	Curb Insulation	5.1	10%	1.4%	2.4%	0.7	1.2	Greer, SC
	MDF Board	21.5	43%	35.0%	0.9%	17.5	0.5	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
130	<b>CCAM 4812 1220</b>	<b>58.0</b>	<b>100%</b>	<b>32.0%</b>	<b>52.1%</b>	<b>18.6</b>	<b>30.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	29.2	50%	0.0%	48.4%	0.0	28.1	Ulrichsville, OH
	Curb Insulation	7.2	12%	1.8%	3.0%	1.0	1.7	Greer, SC
	MDF Board	21.5	37%	30.3%	0.7%	17.6	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
131	<b>CCAM 4812 1620</b>	<b>68.5</b>	<b>100%</b>	<b>27.7%</b>	<b>55.8%</b>	<b>19.0</b>	<b>38.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	36.9	54%	0.0%	51.7%	0.0	35.4	Ulrichsville, OH
	Curb Insulation	10.1	15%	2.1%	3.5%	1.4	2.4	Greer, SC
	MDF Board	21.5	31%	25.6%	0.6%	17.5	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
132	<b>CCAM 6060 0920</b>	<b>36.1</b>	<b>100%</b>	<b>36.4%</b>	<b>48.2%</b>	<b>13.1</b>	<b>17.4</b>	<b>Greenwood, SC</b>
	Sheet Metal	16.9	47%	0.0%	44.9%	0.0	16.2	Ulrichsville, OH
	Curb Insulation	3.7	10%	1.5%	2.5%	0.5	0.9	Greer, SC
	MDF Board	15.5	43%	34.9%	0.9%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
133	<b>CCAM 6060 1220</b>	<b>41.8</b>	<b>100%</b>	<b>31.9%</b>	<b>52.1%</b>	<b>13.4</b>	<b>21.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	21.0	50%	0.0%	48.3%	0.0	20.2	Ulrichsville, OH
	Curb Insulation	5.3	13%	1.8%	3.0%	0.8	1.3	Greer, SC
	MDF Board	15.5	37%	30.2%	0.7%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
134	<b>CCAM 6060 1620</b>	<b>49.4</b>	<b>100%</b>	<b>27.6%</b>	<b>55.8%</b>	<b>13.6</b>	<b>27.6</b>	<b>Greenwood, SC</b>
	Sheet Metal	26.6	54%	0.0%	51.6%	0.0	25.5	Ulrichsville, OH
	Curb Insulation	7.4	15%	2.1%	3.5%	1.0	1.7	Greer, SC
	MDF Board	15.5	31%	25.5%	0.6%	12.6	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
135	<b>CCAM 6072 0920</b>	<b>39.7</b>	<b>100%</b>	<b>36.4%</b>	<b>48.2%</b>	<b>14.5</b>	<b>19.1</b>	<b>Greenwood, SC</b>
	Sheet Metal	18.5	47%	0.0%	44.8%	0.0	17.8	Ulrichsville, OH
	Curb Insulation	4.1	10%	1.5%	2.5%	0.6	1.0	Greer, SC
	MDF Board	17.0	43%	35.0%	0.9%	13.9	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
136	<b>CCAM 6072 1220</b>	<b>45.9</b>	<b>100%</b>	<b>32.0%</b>	<b>52.0%</b>	<b>14.7</b>	<b>23.9</b>	<b>Greenwood, SC</b>
	Sheet Metal	23.1	50%	0.0%	48.2%	0.0	22.1	Ulrichsville, OH
	Curb Insulation	5.8	13%	1.8%	3.0%	0.8	1.4	Greer, SC
	MDF Board	17.0	37%	30.2%	0.7%	13.9	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
137	<b>CCAM 6072 1620</b>	<b>54.2</b>	<b>100%</b>	<b>27.7%</b>	<b>55.7%</b>	<b>15.0</b>	<b>30.2</b>	<b>Greenwood, SC</b>
	Sheet Metal	29.1	54%	0.0%	51.5%	0.0	27.9	Ulrichsville, OH
	Curb Insulation	8.1	15%	2.1%	3.5%	1.1	1.9	Greer, SC
	MDF Board	17.0	31%	25.6%	0.6%	13.9	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China

VELUX COMMERCIAL SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
138	<b>CCAM 6096 0920</b>	<b>46.6</b>	<b>100%</b>	<b>36.5%</b>	<b>48.2%</b>	<b>17.0</b>	<b>22.5</b>	<b>Greenwood, SC</b>
	Sheet Metal	21.8	47%	0.0%	45.0%	0.0	21.0	Ulrichsville, OH
	Curb Insulation	4.7	10%	1.4%	2.4%	0.7	1.1	Greer, SC
	MDF Board	20.0	43%	35.0%	0.9%	16.3	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
139	<b>CCAM 6096 1220</b>	<b>53.9</b>	<b>100%</b>	<b>32.0%</b>	<b>52.1%</b>	<b>17.3</b>	<b>28.1</b>	<b>Greenwood, SC</b>
	Sheet Metal	27.1	50%	0.0%	48.3%	0.0	26.0	Ulrichsville, OH
	Curb Insulation	6.7	12%	1.8%	3.0%	1.0	1.6	Greer, SC
	MDF Board	20.0	37%	30.3%	0.7%	16.3	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
140	<b>CCAM 6096 1620</b>	<b>63.7</b>	<b>100%</b>	<b>27.7%</b>	<b>55.8%</b>	<b>17.6</b>	<b>35.5</b>	<b>Greenwood, SC</b>
	Sheet Metal	34.3	54%	0.0%	51.7%	0.0	32.9	Ulrichsville, OH
	Curb Insulation	9.3	15%	2.1%	3.5%	1.3	2.2	Greer, SC
	MDF Board	20.0	31%	25.6%	0.6%	16.3	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
141	<b>CCAM 6012 0920</b>	<b>53.7</b>	<b>100%</b>	<b>36.5%</b>	<b>48.2%</b>	<b>19.6</b>	<b>25.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	25.1	47%	0.0%	44.9%	0.0	24.1	Ulrichsville, OH
	Curb Insulation	5.5	10%	1.4%	2.4%	0.8	1.3	Greer, SC
	MDF Board	23.1	43%	35.1%	0.9%	18.8	0.5	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
142	<b>CCAM 6012 1220</b>	<b>62.1</b>	<b>100%</b>	<b>32.1%</b>	<b>52.0%</b>	<b>19.9</b>	<b>32.3</b>	<b>Greenwood, SC</b>
	Sheet Metal	31.2	50%	0.0%	48.3%	0.0	30.0	Ulrichsville, OH
	Curb Insulation	7.7	12%	1.8%	3.0%	1.1	1.9	Greer, SC
	MDF Board	23.1	37%	30.3%	0.7%	18.8	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
143	<b>CCAM 6012 1620</b>	<b>73.3</b>	<b>100%</b>	<b>27.7%</b>	<b>55.8%</b>	<b>20.3</b>	<b>40.9</b>	<b>Greenwood, SC</b>
	Sheet Metal	39.5	54%	0.0%	51.7%	0.0	37.9	Ulrichsville, OH
	Curb Insulation	10.8	15%	2.1%	3.5%	1.5	2.6	Greer, SC
	MDF Board	23.1	31%	25.7%	0.6%	18.8	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
144	<b>CCAM 7272 0920</b>	<b>43.2</b>	<b>100%</b>	<b>36.4%</b>	<b>48.2%</b>	<b>15.7</b>	<b>20.8</b>	<b>Greenwood, SC</b>
	Sheet Metal	20.2	47%	0.0%	44.9%	0.0	19.4	Ulrichsville, OH
	Curb Insulation	4.5	10%	1.5%	2.5%	0.6	1.1	Greer, SC
	MDF Board	18.5	43%	35.0%	0.9%	15.1	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
145	<b>CCAM 7272 1220</b>	<b>50.0</b>	<b>100%</b>	<b>32.0%</b>	<b>52.0%</b>	<b>16.0</b>	<b>26.0</b>	<b>Greenwood, SC</b>
	Sheet Metal	25.1	50%	0.0%	48.2%	0.0	24.1	Ulrichsville, OH
	Curb Insulation	6.3	13%	1.8%	3.0%	0.9	1.5	Greer, SC
	MDF Board	18.5	37%	30.2%	0.7%	15.1	0.3	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China
146	<b>CCAM 7272 1620</b>	<b>59.0</b>	<b>100%</b>	<b>27.7%</b>	<b>55.7%</b>	<b>16.3</b>	<b>32.9</b>	<b>Greenwood, SC</b>
	Sheet Metal	31.7	54%	0.0%	51.6%	0.0	30.5	Ulrichsville, OH
	Curb Insulation	8.8	15%	2.1%	3.5%	1.2	2.1	Greer, SC
	MDF Board	18.5	31%	25.6%	0.6%	15.1	0.4	Bennettsville, SC
	Staples	0.0	0%	0.0%	0.0%	0.0	0.0	Zhejiang, China