

**VELUX FCM Skylight**  
**LEED 3.0 Recycle Content and Regional Materials Data**

VELUX FCM SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
1	<b>FCM 1430 0004D</b>	<b>22.0</b>	<b>100%</b>	<b>16.1%</b>	<b>14.9%</b>	<b>3.53</b>	<b>3.27</b>	<b>Greenwood, SC</b>
	Glass	16.3	74%	12.2%	1.5%	2.69	0.34	Amery, WI & Buford, GA
	Gasket	0.8	4%	0.6%	0.0%	0.14	0.00	Louden, TN
	Aluminum Frame	4.9	22%	3.2%	13.3%	0.71	2.92	Decatur, AL
2	<b>FCM 1430 0005B</b>	<b>18.3</b>	<b>100%</b>	<b>15.9%</b>	<b>17.9%</b>	<b>2.90</b>	<b>3.27</b>	<b>Greenwood, SC</b>
	Glass	12.6	69%	11.2%	1.9%	2.06	0.34	Buford, GA
	Gasket	0.8	4%	0.7%	0.0%	0.14	0.00	Louden, TN
	Aluminum Frame	4.9	27%	3.9%	16.0%	0.72	2.93	Decatur, AL
3	<b>FCM 1446 0004D</b>	<b>31.0</b>	<b>100%</b>	<b>16.4%</b>	<b>13.7%</b>	<b>5.08</b>	<b>4.23</b>	<b>Greenwood, SC</b>
	Glass	23.6	76%	12.7%	1.1%	3.94	0.34	Amery, WI & Buford, GA
	Gasket	1.2	4%	0.7%	0.0%	0.20	0.00	Louden, TN
	Aluminum Frame	6.2	20%	3.0%	12.6%	0.94	3.90	Decatur, AL
4	<b>FCM 1446 0005B</b>	<b>25.0</b>	<b>100%</b>	<b>16.3%</b>	<b>16.9%</b>	<b>4.07</b>	<b>4.23</b>	<b>Greenwood, SC</b>
	Glass	17.7	71%	11.7%	1.4%	2.93	0.34	Amery, WI & Buford, GA
	Gasket	1.2	5%	0.8%	0.0%	0.21	0.00	Louden, TN
	Aluminum Frame	6.1	25%	3.7%	15.6%	0.93	3.89	Decatur, AL
5	<b>FCM 2222 0004D/FCM 2222 0008D</b>	<b>24.2</b>	<b>100%</b>	<b>16.2%</b>	<b>14.9%</b>	<b>3.91</b>	<b>3.59</b>	<b>Greenwood, SC</b>
	Glass	18.1	75%	12.4%	1.4%	2.99	0.34	Amery, WI & Buford, GA
	Gasket	0.8	3%	0.6%	0.0%	0.14	0.00	Louden, TN
	Aluminum Frame	5.3	22%	3.2%	13.4%	0.78	3.25	Decatur, AL
6	<b>FCM 2222 0005B</b>	<b>20.1</b>	<b>100%</b>	<b>15.9%</b>	<b>17.9%</b>	<b>3.19</b>	<b>3.59</b>	<b>Greenwood, SC</b>
	Glass	14.0	69%	11.4%	1.7%	2.30	0.34	Buford, GA
	Gasket	0.8	4%	0.7%	0.0%	0.14	0.00	Louden, TN
	Aluminum Frame	5.3	27%	3.9%	16.2%	0.78	3.25	Decatur, AL
7	<b>FCM 2222 0006D/FCM 2222 0007D</b>	<b>25.7</b>	<b>100%</b>	<b>16.2%</b>	<b>14.0%</b>	<b>4.17</b>	<b>3.60</b>	<b>Greenwood, SC</b>
	Glass	19.5	76%	12.6%	1.3%	3.24	0.34	Amery, WI & Buford, GA
	Gasket	0.8	3%	0.5%	0.0%	0.14	0.00	Louden, TN
	Aluminum Frame	5.3	21%	3.1%	12.7%	0.78	3.25	Decatur, AL
8	<b>FCM 2222 0029D</b>	<b>33.2</b>	<b>100%</b>	<b>16.6%</b>	<b>9.8%</b>	<b>5.52</b>	<b>3.25</b>	<b>Greenwood, SC</b>
	Glass	27.1	69%	13.9%	0.0%	4.60	0.00	Buford, GA
	Gasket	0.8	4%	0.4%	0.0%	0.14	0.00	Louden, TN
	Aluminum Frame	5.3	27%	2.3%	9.8%	0.76	3.24	Decatur, AL
9	<b>FCM 2222 0030B</b>	<b>27.7</b>	<b>100%</b>	<b>16.6%</b>	<b>11.7%</b>	<b>4.59</b>	<b>3.25</b>	<b>Greenwood, SC</b>
	Glass	21.6	76%	13.2%	0.0%	3.67	0.00	Amery, WI & Buford, GA
	Gasket	0.8	3%	0.5%	0.0%	0.14	0.00	Louden, TN
	Aluminum Frame	5.3	21%	2.8%	11.7%	0.78	3.24	Decatur, AL

**VELUX FCM Skylight**  
**LEED 3.0 Recycle Content and Regional Materials Data**

Jl  
011516

VELUX FCM SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
10	<b>FCM 2230 0004D</b>	<b>30.8</b>	<b>100%</b>	<b>16.4%</b>	<b>12.7%</b>	<b>5.04</b>	<b>3.91</b>	<b>Greenwood, SC</b>
	Glass	23.8	77%	12.9%	1.1%	3.98	0.34	Amery, WI & Buford, GA
	Gasket	1.2	4%	0.7%	0.0%	0.20	0.00	Louden, TN
	Aluminum Frame	5.7	19%	2.8%	11.6%	0.86	3.58	Decatur, AL

**VELUX FCM Skylight  
LEED 3.0 Recycle Content and Regional Materials Data**

VELUX FCM SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
11	<b>FCM 2230 0005B</b>	<b>25.2</b>	<b>100%</b>	<b>16.2%</b>	<b>15.5%</b>	<b>4.09</b>	<b>3.90</b>	<b>Greenwood, SC</b>
	Glass	18.3	73%	12.0%	1.3%	3.03	0.34	Amery, WI & Buford, GA
	Gasket	1.2	5%	0.8%	0.0%	0.20	0.00	Louden, TN
	Aluminum Frame	5.7	23%	3.4%	14.2%	0.86	3.57	Decatur, AL
12	<b>FCM 2234 0004D</b>	<b>34.0</b>	<b>100%</b>	<b>16.5%</b>	<b>12.4%</b>	<b>5.60</b>	<b>4.23</b>	<b>Greenwood, SC</b>
	Glass	26.7	78%	13.1%	1.0%	4.45	0.34	Buford, GA
	Gasket	1.2	4%	0.6%	0.0%	0.20	0.00	Louden, TN
	Aluminum Frame	6.1	18%	2.8%	11.4%	0.94	3.89	Decatur, AL
13	<b>FCM 2234 0005B</b>	<b>27.8</b>	<b>100%</b>	<b>16.3%</b>	<b>15.2%</b>	<b>4.54</b>	<b>4.22</b>	<b>Greenwood, SC</b>
	Glass	20.5	74%	12.2%	1.2%	3.40	0.34	Amery, WI & Buford, GA
	Gasket	1.2	4%	0.7%	0.0%	0.20	0.00	Louden, TN
	Aluminum Frame	6.1	22%	3.4%	14.0%	0.93	3.88	Decatur, AL
14	<b>FCM 2246 0004D/FCM 2246 0008D</b>	<b>43.6</b>	<b>100%</b>	<b>16.6%</b>	<b>10.9%</b>	<b>7.24</b>	<b>4.75</b>	<b>Greenwood, SC</b>
	Glass	35.2	81%	13.6%	0.8%	5.91	0.34	Amery, WI & Buford, GA
	Gasket	1.6	4%	0.6%	0.0%	0.27	0.00	Louden, TN
	Aluminum Frame	6.8	16%	2.4%	10.1%	1.06	4.41	Decatur, AL
15	<b>FCM 2246 0005B</b>	<b>35.4</b>	<b>100%</b>	<b>16.5%</b>	<b>13.4%</b>	<b>5.84</b>	<b>4.75</b>	<b>Greenwood, SC</b>
	Glass	27.0	74%	12.8%	1.0%	4.52	0.34	Amery, WI & Buford, GA
	Gasket	1.6	4%	0.8%	0.0%	0.27	0.00	Louden, TN
	Aluminum Frame	6.8	22%	3.0%	12.5%	1.05	4.41	Decatur, AL
16	<b>FCM 2246 0006D/FCM 2246 0007D</b>	<b>46.4</b>	<b>100%</b>	<b>16.6%</b>	<b>10.2%</b>	<b>7.72</b>	<b>4.75</b>	<b>Greenwood, SC</b>
	Glass	38.0	82%	13.8%	0.7%	6.38	0.34	Buford, GA
	Gasket	1.6	3%	0.6%	0.0%	0.27	0.00	Louden, TN
	Aluminum Frame	6.8	15%	2.3%	9.5%	1.06	4.41	Decatur, AL
17	<b>FCM 2246 0029D</b>	<b>61.0</b>	<b>100%</b>	<b>16.8%</b>	<b>7.2%</b>	<b>10.28</b>	<b>4.41</b>	<b>Greenwood, SC</b>
	Glass	52.6	74%	14.7%	0.0%	8.95	0.00	Amery, WI & Buford, GA
	Gasket	1.6	4%	0.5%	0.0%	0.27	0.00	Louden, TN
	Aluminum Frame	6.8	22%	1.7%	7.2%	1.06	4.40	Decatur, AL
18	<b>FCM 2246 0030B</b>	<b>50.2</b>	<b>100%</b>	<b>16.8%</b>	<b>8.8%</b>	<b>8.44</b>	<b>4.41</b>	<b>Greenwood, SC</b>
	Glass	41.8	82%	14.2%	0.0%	7.11	0.00	Buford, GA
	Gasket	1.6	3%	0.5%	0.0%	0.27	0.00	Louden, TN
	Aluminum Frame	6.8	15%	2.1%	8.8%	1.06	4.40	Decatur, AL
19	<b>FCM 2270 0004D</b>	<b>73.6</b>	<b>100%</b>	<b>16.9%</b>	<b>8.3%</b>	<b>12.46</b>	<b>6.13</b>	<b>Greenwood, SC</b>
	Glass	62.6	85%	14.5%	0.0%	10.64	0.00	Amery, WI & Buford, GA
	Gasket	2.1	3%	0.5%	0.0%	0.36	0.00	Louden, TN
	Aluminum Frame	8.9	12%	2.0%	8.3%	1.46	6.13	Decatur, AL

**VELUX FCM Skylight**  
**LEED 3.0 Recycle Content and Regional Materials Data**

jl  
011516

VELUX FCM SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
20	<b>FCM 2270 0005B</b>	<b>59.8</b>	<b>100%</b>	<b>16.9%</b>	<b>10.3%</b>	<b>10.11</b>	<b>6.13</b>	<b>Greenwood, SC</b>
	Glass	48.8	82%	13.9%	0.0%	8.29	0.00	Amery, WI & Buford, GA
	Gasket	2.1	4%	0.6%	0.0%	0.36	0.00	Louden, TN
	Aluminum Frame	8.9	15%	2.5%	10.3%	1.47	6.14	Decatur, AL

**VELUX FCM Skylight  
LEED 3.0 Recycle Content and Regional Materials Data**

VELUX FCM SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
21	<b>FCM 3030 0004D</b>	<b>38.7</b>	<b>100%</b>	<b>16.5%</b>	<b>10.9%</b>	<b>6.39</b>	<b>4.23</b>	<b>Greenwood, SC</b>
	Glass	31.4	81%	13.6%	0.9%	5.26	0.34	Amery, WI & Buford, GA
	Gasket	1.2	3%	0.5%	0.0%	0.21	0.00	Louden, TN
	Aluminum Frame	6.1	16%	2.4%	10.1%	0.94	3.89	Decatur, AL
22	<b>FCM 3030 0005B</b>	<b>31.4</b>	<b>100%</b>	<b>16.4%</b>	<b>13.5%</b>	<b>5.15</b>	<b>4.23</b>	<b>Greenwood, SC</b>
	Glass	24.1	69%	12.8%	1.1%	4.01	0.34	Buford, GA
	Gasket	1.2	4%	0.7%	0.0%	0.20	0.00	Louden, TN
	Aluminum Frame	6.1	27%	3.0%	12.4%	0.93	3.89	Decatur, AL
23	<b>FCM 3046 0004D</b>	<b>55.2</b>	<b>100%</b>	<b>16.7%</b>	<b>9.4%</b>	<b>9.22</b>	<b>5.19</b>	<b>Greenwood, SC</b>
	Glass	46.5	84%	14.2%	0.6%	7.82	0.34	Amery, WI & Buford, GA
	Gasket	1.4	3%	0.4%	0.0%	0.24	0.00	Louden, TN
	Aluminum Frame	7.3	13%	2.1%	8.8%	1.16	4.85	Decatur, AL
24	<b>FCM 3046 0005B</b>	<b>44.3</b>	<b>100%</b>	<b>16.6%</b>	<b>11.7%</b>	<b>7.37</b>	<b>5.18</b>	<b>Greenwood, SC</b>
	Glass	35.6	80%	13.5%	0.8%	5.97	0.34	Amery, WI & Buford, GA
	Gasket	1.4	3%	0.5%	0.0%	0.24	0.00	Louden, TN
	Aluminum Frame	7.3	17%	2.6%	10.9%	1.16	4.84	Decatur, AL
25	<b>FCM 3434 0004D/FCM 3434 0008D</b>	<b>47.9</b>	<b>100%</b>	<b>16.7%</b>	<b>10.2%</b>	<b>7.98</b>	<b>4.87</b>	<b>Greenwood, SC</b>
	Glass	39.4	82%	13.8%	0.7%	6.61	0.34	Amery, WI & Buford, GA
	Gasket	1.6	3%	0.6%	0.0%	0.27	0.00	Louden, TN
	Aluminum Frame	6.9	14%	2.3%	9.5%	1.09	4.53	Decatur, AL
26	<b>FCM 3434 0005B</b>	<b>38.8</b>	<b>100%</b>	<b>16.6%</b>	<b>12.6%</b>	<b>6.43</b>	<b>4.87</b>	<b>Greenwood, SC</b>
	Glass	30.2	78%	13.1%	0.9%	5.07	0.34	Buford, GA
	Gasket	1.6	4%	0.7%	0.0%	0.27	0.00	Louden, TN
	Aluminum Frame	6.9	18%	2.8%	11.7%	1.09	4.54	Decatur, AL
27	<b>FCM 3446 0004D</b>	<b>59.9</b>	<b>100%</b>	<b>16.7%</b>	<b>9.1%</b>	<b>10.03</b>	<b>5.44</b>	<b>Greenwood, SC</b>
	Glass	50.3	82%	14.2%	0.6%	8.48	0.34	Amery, WI & Buford, GA
	Gasket	1.9	3%	0.5%	0.0%	0.32	0.00	Louden, TN
	Aluminum Frame	7.7	14%	2.0%	8.5%	1.22	5.11	Decatur, AL
28	<b>FCM 4646 0004D/FCM 4646 0008D</b>	<b>86.2</b>	<b>100%</b>	<b>16.7%</b>	<b>7.3%</b>	<b>14.43</b>	<b>6.27</b>	<b>Greenwood, SC</b>
	Glass	75.2	87%	14.7%	0.5%	12.67	0.45	Amery, WI & Buford, GA
	Gasket	2.1	2%	0.4%	0.0%	0.35	0.00	Louden, TN
	Aluminum Frame	8.9	10%	1.6%	6.8%	1.40	5.82	Decatur, AL
29	<b>FCM 4646 0005B</b>	<b>76.4</b>	<b>100%</b>	<b>16.7%</b>	<b>8.2%</b>	<b>12.76</b>	<b>6.27</b>	<b>Greenwood, SC</b>
	Glass	65.4	86%	14.4%	0.6%	11.02	0.45	Amery, WI & Buford, GA
	Gasket	2.1	3%	0.5%	0.0%	0.36	0.00	Louden, TN
	Aluminum Frame	8.9	12%	1.8%	7.6%	1.40	5.82	Decatur, AL

**VELUX FCM Skylight**  
**LEED 3.0 Recycle Content and Regional Materials Data**

VELUX FCM SKYLIGHTS		Weight of Installed Product (lbs.)	% of Total Weight	MR Credit 4: Recycled Content				MR Credit 5: Regional Materials
				% Recycled Content by Weight		Recycled Content Weight (lbs)		Manufacturing Location
				Pre Consumer	Post Consumer	Pre Consumer	Post Consumer	
30	<b>FCM 4646 0006D/FCM 4646 0007D</b>	<b>91.8</b>	<b>100%</b>	<b>16.8%</b>	<b>6.8%</b>	<b>15.38</b>	<b>6.27</b>	<b>Greenwood, SC</b>
	Glass	80.8	88%	14.9%	0.5%	13.63	0.45	Amery, WI & Buford, GA
	Gasket	2.1	2%	0.4%	0.0%	0.36	0.00	Louden, TN
	Aluminum Frame	8.9	10%	1.5%	6.3%	1.40	5.81	Decatur, AL
31	<b>FCM 4646 0029D</b>	<b>126.2</b>	<b>100%</b>	<b>16.9%</b>	<b>4.6%</b>	<b>21.33</b>	<b>5.82</b>	<b>Greenwood, SC</b>
	Glass	115.2	86%	15.5%	0.0%	19.58	0.00	Amery, WI & Buford, GA
	Gasket	2.1	3%	0.3%	0.0%	0.35	0.00	Louden, TN
	Aluminum Frame	8.9	12%	1.1%	4.6%	1.39	5.81	Decatur, AL
32	<b>FCM 4646 0030B</b>	<b>111.4</b>	<b>100%</b>	<b>16.9%</b>	<b>5.2%</b>	<b>18.82</b>	<b>5.82</b>	<b>Greenwood, SC</b>
	Glass	100.4	88%	15.3%	0.0%	17.07	0.00	Amery, WI & Buford, GA
	Gasket	2.1	2%	0.3%	0.0%	0.36	0.00	Louden, TN
	Aluminum Frame	8.9	10%	1.3%	5.2%	1.39	5.80	Decatur, AL