

Hallmark® Certificate of Conformance and License (CCL)



VELUX America LLC
PO Box 5001
Greenwood, SC 29648-5001

Mfr ID: 426
For more Information visit www.amscert.com
Website: www.veluxusa.com
TEL: 864-941-4828

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
426-H-705.00	VELUX Sun Tunnel (Residential) [TGR, THR, TMF or TMR] + [010 or 014] + [0000, 1000, 0000E0 or E1, or 1000E0], and TGF + [014 or 022] + [0000, 1000, 0000E0 or E1, or 1000E0]	101/I.S.2/A440-11	TDDCC-PG125; Size Tested 559mm dia. (22 in); Positive (Downlod) Design Pressure, (DP) = 14,364 Pa(300 psf)	559mm dia.	n/a	D2092.01-109-44-R2	2/6/2014	12/18/2021
426-H-705.01	VELUX Sun Tunnel (Residential) [TGR, THR, TMF or TMR] + [010 or 014] + [0000, 1000, 0000E0 or E1, or 1000E0], and TGF + [014 or 022] + [0000, 1000, 0000E0 or E1, or 1000E0]	101/I.S.2/A440-08	Class CW-PG95; 559mm dia. (22 in) -TDD; Positive (Downlod) Design Pressure (DP) = 9576 Pa (200 psf)	559mm dia.	n/a	D2092.01-109-44-R2	2/6/2014	12/18/2021
426-H-705.02	VELUX Sun Tunnel (Residential) [TGR, THR, TMF or TMR] + [010 or 014] + [0000, 1000, 0000E0 or E1, or 1000E0], and TGF + [014 or 022] + [0000, 1000, 0000E0 or E1, or 1000E0]	CSA A440 S1-09	DP: +9576/-4549 Pa (+200/-95 psf); Water Test Pressure: 720Pa (15.04 psf); Canadian Air Infiltration/Exfiltration: Fixed	559mm dia.	n/a	D2092.01-109-44-R2	2/6/2014	12/18/2021
426-H-705.03	VELUX Sun Tunnel (Residential) [TGR, TMF or TMR] + [010 or 014] + [1000 or 1000E0], and TGF + [014 or 022] + [1000 or 1000E0]	ASTM E-1996-05 / ASTM E-1886-05	Wind Zone 3, Large Missile (C); Cycle Pressure = ± 50 psf	559mm dia.	n/a	D2104.01-109-44-R0	2/6/2014	11/29/2021

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Rhonda Schotz, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com