










General Notes


1. This drawing emphasizes the TMC pitched flashing VELUX Sun Tunnel Skylight. It illustrates a general arrangement layout (plus recommendations) for a VELUX TMC installation in a 14–45 degree roof pitch application utilizing either a suspended acoustical tile or grid ceiling installation.
2. The architectural/structural design and specifications for the inclusion of a tubular daylighting device, such as the VELUX TMC, in any roofing/ceiling application is determined and provided by others. The design criteria includes, but is not limited to design loads, structural configurations, structural framing member sizes and material, architectural finishes and integration with the roofing/ceiling systems of the building. VELUX assumes no responsibility or liability in the design, construction and performance of a building structure by others.
3. Secure eye screws/bolts to the roofing structure and attach suspension wire to connect to clips at end of tunnel section.
4. Secure suspension wires to the ceiling adaptor assembly & eyebolts.
5. Dimensions shown are nominal, unless indicated otherwise.
6. Product specific dimensions are referenced in the TMC Product Data Sheet documentation.




TMC 014 Components	Quantity
TMC 014 0000 <ul style="list-style-type: none"> Acrylic Dome Counter flashing assembly Hardware bag  <ul style="list-style-type: none"> Option <ul style="list-style-type: none"> TMC 014 1000 – Impact Polycarbonate dome 	—
TTK 014 <ul style="list-style-type: none"> 24"/.61m Rigid tunnel (2) 12"/.30m Rigid elbows Tape for tunnel joints Hardware bag 	—
TTC 014 0002 <ul style="list-style-type: none"> 14" to 22" Transition piece Ceiling adapter assembly with prismatic diffuser Tape for tunnel joints Gasket material for diffuser Hardware bag Suspension wire  <ul style="list-style-type: none"> Options <ul style="list-style-type: none"> TTC 014 0000 – Frosted diffuser TTC 014 0003 – Fresnel diffuser 	—
Option: ZTR 014 <ul style="list-style-type: none"> ZTR 014 0002 24"/.61m Rigid tunnel ZTR 014 0004 48"/1.22m Rigid tunnel ZTR 014 0006 72"/1.83m Rigid tunnel ZTR 014 0012 144"/3.66m Rigid tunnel ZTR 014 0024 288"/7.32m Rigid tunnel 	—



Suspended Acoustical Tile /Grid Ceiling Installation
4:1



VELUX TMC Mount & flash using standard roofing practices for roofing material being used.



General Arrangement Layout

For suspension wire installation, See General Notes and SUN TUNNEL Suspension Wire Installation Instructions (ZTZ 203)

VELUX tape All joints must be sealed with tape, provided by VELUX

Suspended acoustical tile/grid ceiling By others

 VELUX 1418 Evans Pond Road Greenwood, SC 29649 1-800-88-VELUX www.VELUXUSA.com	Name: JDH Date: Jan 2019
	Checked by: JL,CJ Date: Jan 2019
Drawing No.	
Commercial SUN TUNNEL Skylight TMC 014 w/ TTK 014, TTC 022 (TMC 014 0002TT/TMC 014 1002TT)	
TMC 014-01-0319	

This drawing is an instrument of service and is provided for informational use only.